

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : TURBOBRITE

Other means of identification : not applicable

Recommended use : Bleach

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.  
370 N. Wabasha Street  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 03/24/2014

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**

Skin corrosion : Category 1A  
Serious eye damage : Category 1

**GHS Label element**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Mixing this product with acid or ammonia releases chlorine gas.

**Response:**  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

**Storage:**  
Store locked up.

**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## SAFETY DATA SHEET

### TURBOBRITE

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration (%)
sodium hypochlorite	7681-52-9	10 - 30

#### SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Not flammable or combustible.

Hazardous combustion products : Carbon oxides

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they

## SAFETY DATA SHEET

### TURBOBRITE

must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Mixing this product with acid or ammonia releases chlorine gas.
- Conditions for safe storage : Keep in a cool, well-ventilated place. Do not store near acids. Keep away from reducing agents. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : -15 °C to 40 °C

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hypochlorite	7681-52-9	STEL	2 mg/m <sup>3</sup>	WEEL
chlorine	7782-50-5	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		Ceiling	0.5 ppm 1.45 mg/m <sup>3</sup>	NIOSH REL
		C	1 ppm 3 mg/m <sup>3</sup>	OSHA Z1
sodium hypochlorite	7681-52-9	STEL	2 mg/m <sup>3</sup>	WEEL

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

##### Personal protective equipment

- Eye protection : Safety goggles  
Face-shield
- Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

## SAFETY DATA SHEET

### TURBOBRITE

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : light yellow
- Odor : Chlorine
- pH : 12.5, 100 %
- Flash point : not applicable
- Odor Threshold : no data available
- Melting point/freezing point : no data available
- Initial boiling point and boiling range : no data available
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapor pressure : no data available
- Relative vapor density : no data available
- Relative density : 1.154
- Water solubility : no data available
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available
- Autoignition temperature : no data available
- Thermal decomposition : no data available
- Viscosity, kinematic : no data available
- Explosive properties : no data available
- Oxidizing properties : no data available
- Molecular weight : no data available
- VOC : no data available

### SECTION 10. STABILITY AND REACTIVITY

- Chemical stability : Stable under normal conditions.
- Possibility of hazardous reactions : Mixing this product with acid or ammonia releases chlorine gas.

## SAFETY DATA SHEET

### TURBOBRITE

Conditions to avoid : None known.

Incompatible materials : Acids  
Metals

Hazardous decomposition products : Carbon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

#### Toxicity

Acute oral toxicity : no data available

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT-single exposure : no data available

STOT-repeated exposure : no data available

Aspiration toxicity : no data available

#### Ingredients

## SAFETY DATA SHEET

### TURBOBRITE

Acute oral toxicity : sodium hypochlorite  
LD50 rat: 5,230 mg/kg

#### Ingredients

Acute inhalation toxicity : sodium hypochlorite  
1 h LC50 rat: > 10,500 mg/l

#### Ingredients

Acute dermal toxicity : sodium hypochlorite  
LD50 rabbit: > 10,000 mg/kg

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : Toxic to aquatic life.

#### Product

Toxicity to fish : 96 h LC50 *Oncorhynchus mykiss* (rainbow trout) : 2.1 mg/l  
96 h LC50 Inland Silverside : 7.6 mg/l

Toxicity to daphnia and other aquatic invertebrates : 48 h LC50 *Americamysis bahia* : 18.1 mg/l

48 h LC50 *Daphnia dubia* : 0.57 mg/l

Toxicity to algae : no data available

#### Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste : D002 (Corrosive)

# SAFETY DATA SHEET

## TURBOBRITE

### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

UN number : 1791  
Description of the goods : Hypochlorite solutions  
Class : 8  
Packing group : III  
Environmentally hazardous : no

#### Sea transport (IMDG/IMO)

UN number : 1791  
Description of the goods : HYPOCHLORITE SOLUTION  
Class : 8  
Packing group : III  
Marine pollutant : yes

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

**1907/2006 (EU)** :  
not determined

#### Switzerland. New notified substances and declared preparations :

The mixture contains substances listed on the Swiss Inventory On the inventory, or in compliance with the inventory

#### United States TSCA Inventory :

On TSCA Inventory

#### Canadian Domestic Substances List (DSL) :

# SAFETY DATA SHEET

## TURBOBRITE

All components of this product are on the Canadian DSL.

**Australia Inventory of Chemical Substances (AICS) :**

On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemical Substances :**

On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

not determined

**Japan. ISHL - Inventory of Chemical Substances (METI) :**

On the inventory, or in compliance with the inventory

**Korea. Korean Existing Chemicals Inventory (KECI) :**

On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**


On the inventory, or in compliance with the inventory

**China. Inventory of Existing Chemical Substances in China (IECSC) :**

On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 03/24/2014  
Version : 1.0  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.